

SERIE 114A

# 106BIS

AVO - Wheel with mechanical cast iron and steel castor for industry, diameter 150mm ean 18942

**Material:** Mechanical Cast iron

**Core:** Cast Iron

**Application field:** Industry

**Description:**

Cast iron wheel, resistant to high temperatures with low rolling resistance. Hub on shielded ball bearings. Special ball bearings for high or low temperatures are available on request.

**Heavy-Duty Castors:**

Made of zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings, with plate and rear brake. Assembled with self-locking nut.

**Product line:** Cast Iron, High temperature

**EAN13:**8018793189422    **EAN5:**18942    **Article code:**041060F1500GP



## Features

**Minimum temperature:** -20

**Maximum temperature:** 120

**Dynamic load capacity:** 500 DaN

**Rotation:** Ball bearing

**Hardness scale:** HB

**Hardness:** 200

## Flooring

- Asphalt
- Concrete

## Wheel data

Diameter (mm)	150
Band width (mm)	38
Hub width (mm)	38
Hub version	Ball bearing
Wheel hole (mm)	17
Bearing seat (mm)	40X12
Dynamic load capacity (DaN)	500
Colour	Grey
Material	Mechanical Cast iron
Box pieces	/
Hardness scale	HB
Hardness	200

## Support data

Plate size (mm)	135X110
Plate hole spacing (mm)	105X080
Plate hole size (mm)	13X16
Offset (mm)	50
Ground clearance (mm)	189
Castor hole (mm)	/
Static load capacity (DaN)	630
Structure	Swivel
Version	Plate with brake
Brake	Rear
Plain axle	/
Stem type	/
Finishing	Galvanized