Via XX Settembre, 107 28883 Gravellona Toce (VB) – Italia



SERIE 114

105

AVO - Wheel made of mechanical cast iron with steel castor for industry, diameter 200mm ean 05502

Material: Mechanical Cast iron Core: Cast Iron Scope: Industry

Description:

Cast iron wheel, high temperatures resistant with low rolling resistance with pearlitic or laminar structure in accordance with ISO 185. Hub on plain bore.

Medium duty castors:

Made of zinc-chromium plated pressed steel, turning on double rim of balls, with plate. Assembled with self-locking nut and dust cover ring on the balls.

Product line: High temperature, Cast Iron

EAN13:8018793055024 **EAN5**:05502 **Article code**:04105002000GM



Features Flooring

Minimum temperature: -40 Maximum temperature: 500

Dynamic load capacity: 300 DaN

AsphaltConcrete

Rotation: Plain bore

Hardness scale: HB

Hardness: 200

Wheel data

Diameter (mm)	200
Band width (mm)	50
Hub width (mm)	58
Hub version	Plain bore
Wheel hole (mm)	20
Bearing seat (mm)	1
Dynamic load capacity (DaN)	300
Colour	Grey
Material	Mechanical Cast iron
Box pieces	/
Hardness scale	НВ
Hardness	200

Support data

Plate size (mm)	140X110
Plate hole spacing (mm)	105X080
Plate hole size (mm)	11X16
Offset (mm)	55
Ground clearance (mm)	235
Castor hole (mm)	1
Static load capacity (DaN)	380
Structure	Swivel
Version	Plate
Brake	1
Stem	1
Stem type	1
Finishing	Galvanized