Via XX Settembre, 107 28883 Gravellona Toce (VB) – Italia



www.avo.it +39 0323 86 99 11 export@avo.it

SERIE 114

# **108BISB**

 $\mbox{AVO}$  - Wheel made of mechanical cast iron with steel castor for industry, diameter 200mm ean 27930

Material: Mechanical Cast iron Core: Cast Iron Scope: Industry

#### Description

Cast iron wheel, high temperatures resistant with low rolling resistance with pearlitic or laminar structure in accordance with ISO 185. Hub on plain bore.

### **Extra Heavy-Duty Castors:**

Made of pressed and welded high thickness steel, turning on thrust and tapered roller bearings, with stem and rear brake. Black epoxy paint.

Product line: High temperature, Cast Iron



Features Flooring

Minimum temperature: -40 Maximum temperature: 500 Dynamic load capacity: 600 DaN

Rotation: Plain bore Hardness scale: HB Hardness: 200

AsphaltConcrete

### Wheel data

| Diameter (mm)               | 200                  |
|-----------------------------|----------------------|
| Band width (mm)             | 50                   |
| Hub width (mm)              | 58                   |
| Hub version                 | Plain bore           |
| Wheel hole (mm)             | 20                   |
| Bearing seat (mm)           | 1                    |
| Dynamic load capacity (DaN) | 600                  |
| Colour                      | Grey                 |
| Material                    | Mechanical Cast iron |
| Box pieces                  | /                    |
| Hardness scale              | НВ                   |
| Hardness                    | 200                  |

# Support data

| Plate size (mm)            | 1                              |
|----------------------------|--------------------------------|
| Plate hole spacing (mm)    | 1                              |
| Plate hole size (mm)       | 1                              |
| Offset (mm)                | 57                             |
| Ground clearance (mm)      | 260                            |
| Castor hole (mm)           | 1                              |
| Static load capacity (DaN) | 750                            |
| Structure                  | Swivel                         |
| Version                    | Axle with brake                |
| Brake                      | Rear                           |
| Plain axle                 | 25X65                          |
| Stem type                  | Stem(on request threaded stem) |
| Finishing                  | Black painted                  |